

Message

---

**From:** Castellana, Ben [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A5E5385776764CC4B9E1A718B4090A30-CASTELLANA,]  
**Sent:** 12/12/2019 7:29:22 PM  
**To:** Danny Dolan [dannydolan@bowyerenvironmental.com]  
**CC:** Rule1166Notifications@aqmd.gov; Brett Bowyer [brettbowyer@bowyerenvironmental.com]; Matt Kaczmarek [mattkaczmarek@bowyerenvironmental.com]; Michal Haynes [mhaynes@aqmd.gov]; Rod Tobias [rod.tobias@westonsolutions.com]; Allen, HarryL [Allen.HarryL@epa.gov]  
**Subject:** Re: 210 Slauson Ave - Rule 1166 Notification

Thank you, Danny. Please let me know if there is any follow-up required by AQMD.

Sincerely,

Ben Castellana Ph.D.  
On-Scene Coordinator  
US EPA Region 9  
Superfund Emergency Response  
(562) 305-0694

On Dec 12, 2019, at 11:14 AM, Danny Dolan <dannydolan@bowyerenvironmental.com> wrote:

Good morning,

I am writing to provide notification of an exceedance of 1,000 ppm in soil excavated at the 210-216 W Slauson Ave site in Los Angeles. The exceedance occurred at approx. 10:10AM today (December 12, 2019). The affected soil was initially located near the property line between 210 and 216 Slauson, where the asphalt covering 210 meets bare soil at 216. Upon excavation, the soil was monitored with a PID and a reading of 3700 ppm was recorded. The affected soil was immediately loaded into sealed bins located on site. Inspector Michal Haynes was notified at approx. 10:30 AM.

A formal notification will also be mailed to the AQMD within 48 hours. Please feel free to call Matt Kaczmarek at (877) 232-4620 x105 with any questions.

Thanks,

Danny Dolan, P.G.  
Senior Scientist



Office: (877) 232-4620 ext. 108  
Cell: (949) 525-7350